



**File Name:** craftsman copy crafter manual.pdf

**Size:** 3714 KB

**Type:** PDF, ePub, eBook

**Category:** Book

**Uploaded:** 4 May 2019, 14:57 PM

**Rating:** 4.6/5 from 734 votes.

**Status:** AVAILABLE

Last checked: 3 Minutes ago!

**In order to read or download craftsman copy crafter manual ebook, you need to create a FREE account.**

[Download Now!](#)

eBook includes PDF, ePub and Kindle version

[Register a free 1 month Trial Account.](#)

[Download as many books as you like \(Personal use\)](#)

[Cancel the membership at any time if not satisfied.](#)

[Join Over 80000 Happy Readers](#)

### Book Descriptions:

We have made it easy for you to find a PDF Ebooks without any digging. And by having access to our ebooks online or by storing it on your computer, you have convenient answers with craftsman copy crafter manual . To get started finding craftsman copy crafter manual , you are right to find our website which has a comprehensive collection of manuals listed.

Our library is the biggest of these that have literally hundreds of thousands of different products represented.



## Book Descriptions:

# craftsman copy crafter manual

**Sears**

**owners  
manual**

**MODEL NO.**  
113.249070

Serial Number \_\_\_\_\_  
Model and serial number may be found at the right-hand side of the platform channel. You should record both model and serial number in a safe place for future use.

**CAUTION:**  
Read GENERAL and ADDITIONAL SAFETY INSTRUCTIONS carefully.



Copy-Crafter accessory is for 12 inch Craftsman wood lathes with tubular bed only. It is shown mounted on a Craftsman Workbench and Lathe.

**Sears CRAFTSMAN.**

**Copy-Crafter**

- assembly
- operating
- repair parts

Sold by SEARS, ROEBUCK AND CO., Chicago, IL. 60684 U.S.A.

If you do not already have it, if you find the information on this web, donations can be made through [VintageMachinery.org](http://VintageMachinery.org). It does not provide support or parts for any machines. Please remember that safety standards have. It is up to the individual user to use [TheVintageMachinery.org](http://TheVintageMachinery.org). The item may be missing original packaging and may have been used for testing or demo purposes. The item includes accessories found with the original product and may include a warranty. See the seller's listing for full details and description. Includes sections on Assembly, Mounting the Copy Crafter, Copying Operations, Parts Breakdown, Diagrams, Parts List, Number of Pages, Approx. 28. Publication Date Aug, 1983. Publication No. 70041. Added Notes: Due to others making copies of these for resale, I have added a light watermark to select pages to discourage this practice. About this manual: This is a high quality reproduction manual which has been scanned with a high resolution scanner. Each page is then digitally edited in Photoshop to remove grease marks, fingerprints, writing, and other imperfections that the original manual may have had. It is then printed on 24 lb heavy paper and 65 lb cardstock for the covers with a 600 DPI LaserJet printer. The result is a clean and durable manual which many times is better than the original and should last many years in your shop. Ships USPS First Class Free or Upgrade to Priority Mail for faster delivery. Reprinted from original manual using high quality 24lb paper and comb binding. Covers are printed from 65lb cardstock for extra durability. See my Ebay Store for more manuals. Be sure to add me to your favorites list! Super high amount of views. 14 sold, 9 available. More Super high amount of views. 14 sold, 9 available. You are the light of the world. If you have questions about shipping, please contact the seller. If you have questions about shipping, please contact the seller. Please choose a different delivery location. <http://eeprinting.com/app/webroot/img/fme1204as-32b-manual.xml>

- **craftsman copy crafter manual, craftsman copy crafter lathe manual, craftsman copy crafter manual, craftsman copy crafter manual, craftsman copy crafter manual.**

Owner's Manual



## ROTARY LAWN MOWER

6.75 Horsepower

Power-Propelled

21" Rear Discharge

Model No.

917.376551



• Español, p. 18

**CAUTION:**

Read and follow all  
Safety Rules and Instructions  
before operating this equipment

Sears, Roebuck and Co., Hoffman Estates, IL 60179 U.S.A.  
Visit our Craftsman website: [www.sears.com/craftsman](http://www.sears.com/craftsman)

Our payment security system encrypts your information during transmission. We don't share your credit card details with thirdparty sellers, and we don't sell your information to others. Please try again. Please try again. Please try again. This is NOT an original as originals are out of print, but we use the best scans available. Plastic Comb Bound with clear plastic on front and back covers to help protect manual. All manuals are in public domain or printed with permission. Then you can start reading Kindle books on your smartphone, tablet, or computer no Kindle device required. Register a free business account To calculate the overall star rating and percentage breakdown by star, we don't use a simple average. Instead, our system considers things like how recent a review is and if the reviewer bought the item on Amazon. It also analyzes reviews to verify trustworthiness. Model and serial number may be found at the righthand side of the platform channel. You should record both model and serial number in a safe place for future use. CAUTION. Read GENERAL and ADDITIONAL SAFETY INSTRUCTIONS carefully. CopyCrafter accessory is for 12 inch Craftsman wood lathes with tubular bed only. Manual Rules and Operating. Instructions before First. Use of this Product. Estates, Safety Rules. Unpacking. Assembly. Operation. Maintenance. Troubleshooting. Parts Illustration and List. Español. Keep children out of workplace. Make workshop childproof. Use padlocks, master switches or remove switch keys to Consult manual for specific maintaining and adjusting procedures. Keep tool lubricated and clean for safest operation. Keep all parts in working order. Check to determine that Check for damaged parts. Check for alignment of moving A guard or other part that is damaged should be properly Do not perform makeshift repairs. Never adjust copy crafter while lathe is running. Disconnect Keep cutting tools sharp for efficient and safest operation. <http://www.generale-bureautique.fr/gdb/files/fme-xg-sf2000-manual.xml>



Mid-Engine Rider

13.5 HP. Electric Start  
30" Mower / Mulcher  
Variable Speed

Model 536.270270

CAUTION: Before using this product, read this manual and follow all of its Safety Rules and Operating Instructions.

- Safety
- Operation
- Maintenance
- Parts



Manual del usuario

Tractor cortacésped con motor situado detrás del asiento

Arranque eléctrico de 13,5 caballos  
Cortacésped / trituradora de 76 cm.  
Velocidad variable

Modelo 536.270270

PRECAUCIÓN: Antes de usar este producto, lea este manual y siga todas las reglas de seguridad e instrucciones de operación.

- Seguridad
- Operación
- Mantenimiento
- Piezas

Sears, Roebuck and Co., Hoffman Estates, IL. 60179 U.S.A.

F-020611L

www.sears.com/craftsman

If this product fails due to a defect in material or workmanship Contact your nearest. Sears Service Center 18004MYHOME to arrange for This warranty applies only while this product is used in the. United States. Sears, Roebuck and Co., Dept. 817WA, Hoffman. Estates, IL 60179. CAUTION Always follow proper operating procedures as Remember that being careless for even a Handle workpiece correctly. Mount firmly in holding Turn machine off if workplace splits or becomes loose. WARNING For your own safety, do not operate your copy Wear protective hair covering to contain long hair. Wear safety shoes with nonslip soles. Wear safety glasses complying with United States ANSI. Z87.1. Everyday glasses have only impact resistant lenses. They are NOT safety glasses. Do not force tool or attachment to do Avoid accidental startup. Make sure that the tool is in the. Do not force tool. It will work most efficiently at the rate for Keep hands away from chuck, centers and other moving parts. Never leave tool running unattended. Turn the power off Do not overreach. Keep proper footing and balance. Never stand on tool. Serious injury could occur if tool is Know your tool. Learn the tools operation, application and This warranty gives you specific legal rights and you may also Wear safety goggles that comply with United States ANSI. Z87.1 and a face shield or dust mask if operation is dusty. Wear ear plugs or muffs during extended periods of operation. Small loose pieces of wood or other objects that contact a This can be avoided by keeping the work area clean. Do not use power tools in dangerous environments, Do not Work area should be properly lighted. Never place your face or body in line with the chuck or Never reach in back of the workpiece with either hand to If the workplace splits or is damaged in any way, turn lathe. OFF and remove the workplace from the holders. Discard Use extra care when turning wood with twisted grain or KNOW YOUR CUTTING TOOLS.

Dull, gummy, improperly sharpened or set cutting tools can Minimize potential injury by proper care of tools and regular machine maintenance. For your own safety, read all rules and precautions in the For eye protection, wear safety glasses complying with. United States ANSI Z87.1. Do not wear loose clothing, gloves, neckties, rings, Wear protective hair covering to contain long hair. Tighten all clamps, fixtures and tailstock before applying With switch off, rotate workplace by hand to make sure Start the machine on Do not mount any workpieces that have splits or knots. Never attempt to remount a between centers turning if the When remounting a between centers turning that has nonaltered original centers, make sure that the speed is at the Use extra caution when mounting a


between centers turning to the faceplate, or a faceplate turning to between centers, for secondary operations. Make sure that the speed is never perform any operation with this tool where the workpiece is handheld. Do not mount a reamer, milling cutter, never run the spindle in the wrong direction. The cutting workplace for spindle turning, ALWAYS position the tool rest above the. Refer to Figure 1. Check for shipping damage. If damage has occurred, a claim check for completeness. Your copy crafter is shipped complete in one carton. Separate all C Support Bar with Rack. D Support Bar. E Fine Adjustment Screw G Safety Shield. H Guide with Set Screw Model 24951 only K Handle 4M Pattern Support 2. N Tool Rest Base Assembly Model 24951 only. O Carriage Support Model 24951 only. P Carriage Support Model 24952 only. Q Tool Rest Base Assembly Model 24952 only Model 24951 Hardware bag Part No. 18987.00 includes Model 24952 Hardware bag PN 19078.00 includes guide Insert brass pin into threaded hole at tool rest support and Place tool rest holder onto tool rest support and secure in Thread locking handle into tool rest holder. Refer to this manual Clean NOTE Before assembling copy crafter, make sure that lathe Refer to Figure 2.



**Operator's Manual**

**Snow Thrower**  
 5.0 Horsepower  
 Electric Start  
 22-inch Single Stage  
 Auger Propelled  
 Model 536.881500

CAUTION: Before using this product, read this manual and follow all of its Safety Rules and Operating Instructions.



**Manual del usuario**

**Quitanieves**  
 de 22 pulgadas  
 5.0 caballos de fuerza (hp)  
 Monoetápico  
 Arranque eléctrico  
 Propulsado por barrena  
 Modelo 536.881500

PRECAUCIÓN: Antes de usar este producto, lea este manual y siga todas las reglas de seguridad e instrucciones de operación.

Sears, Roebuck and Co., Hoffman Estates, IL 60179 U.S.A.

F-041032C

www.sears.com/craftsman

<https://formations.fondationmironroyer.com/en/node/13051>

Loosen tool rest base locking bar and slide tool rest base Loosen locking handle of lathe tool rest and remove tool rest Loosen tailstock handle and remove tailstock from lathe bed. Tool Rest Bracket. Washer. Head Bolt. Figure 3 Attach Tool Rest Base to Lathe Bed Model 24952. Insert guide between bed ways. Slide carriage support Loosen hex nut from the bottom of tool rest base assembly Slide tool rest base onto lathe bed, Position tool rest bases Replace tailstock onto lathe bed and secure it by tightening Remove gear assembly from carriage assembly by Slide support bars into carriage assembly. Replace gear assembly into the carriage and secure in Head Belt Bar. Screw Looking Handle. Guide. Tailstock. Assembly. Lockin. Bar. Support Bar Ta. Figure 4 Install Support Bars Tool

Rest Figure 2 Attach Tool Rest Base to Lathe Bed Model 24951 Loosen tool rest locking handle and slide tool rest base Loosen the locking handle of the tool rest holder and remove Place tool rest support and bracket onto lathe bed tube Slide brackets onto support bars. Place spacers over bottom of brackets and then insert Secure brackets to support bars with 8 x 40 ram socket Figure 5 Install Copy Crafters to Lathe Insert bushings into lever. Slide 8 x 20mm socket head bolts Thread the four handles with knob into the hub. Yoke. Follower Assembly. Hex Nut. Fine Adj. Screw Loosen set screw and position carriage support against Secure carriage support to carriage with 8 x 25mm socket Secure carriage support to guide with set screw. To Soot. Washer. Socket Head Bolt. Figure 7 Install Cutting Tool and Safety Shield Insert guide pin into slot of yoke. Secure in position with Bed. Slide follower assembly onto guide pin. Secure in position Figure 10 Attach Carriage Support to Carriage Model 24951 United States ANSI Z87.1 shown on package before commencing power tool operation. Safety goggles are available at Sears retail stores or catalog.

<http://arma-tek.com/images/colt-woodsman-match-target-manual.pdf>


**Owner's Manual**



**Bench Model**  
 2/3 HP (Maximum Developed)  
 5 Speeds (540-3600 R.P.M.)  
 1/2 Inch Chuck

**12-INCH DRILL PRESS**

**Model No.**  
 137.219120



**CAUTION:**  
 Before using this Drill Press, read this manual and follow all its Safety Rules and Operating Instructions.

- Safety Instructions
- Installation
- Operation
- Maintenance
- Parts List
- Español

**Customer Help Line**  
**1-800-843-1682**

Sears, Roebuck and Co., Hoffman Estates, IL 60179  
 USA  
 Part No. 137219120001

Insert upper guide rod into carriage support bar until end is Secure in position with 8ram set screw, Note that this guide rod is eccentric. Slide lower guide Using a 13mm open end wrench on the flats of the lower Secure the lower guide Always observe the following safety precautions. Secure carriage support to carriage using 8 x 25ram socket Socket Head. Fiat Washer. Upper Guide Rod. Plate. Carriage Support Bar. Make sure all moving parts are free and clear of any Make sure all fasteners are tight and have not vibrated loose. With power disconnected, test operation by hand for clearance and adjust if necessary. Always wear eye protection or face shield. After turning switch on, always allow the spindle to come Be sure spindle runs counterclockwise when viewing Keep hands clear of spindle, centers, faceplates and other For optimum performance, do not stall motor or reduce Lower Guide Rod. Figure 11 Attach Carriage Support to Carriage Model 24952. Before starting, the cuffing tool must be set approximately. Vertical adjustment can be made by loosening handles Refer to Figures 12, 13 and 14 pages 7, 10 and 12. Craftsman Copy Crefters provide the Craftsman Wood Lathes Bowl diameter max.. Overall length. Overall height. Width. Original spindle diameter max.. Template width max.. Weight. Whenever adjusting or replacing any parts on

the tool, turnScrew. KeyMount the original in the pattern bolts.The tool rest basesWhen starting with a square piece of stock, that will beNOTE Do not start out on the end of the workpiece, as theGlide the tool holder along the support bars to duplicate theNOTE Sharp corners and small grooves will only be partiallyThe follower assembly willThe copy crafter can be mounted across the bed for copyingThe copy crafter can trace a template as well as an originalThe template represents the profileof the post measuredThe measurements of the post are transferredto a suitableKeep machine and workshop clean.

<https://www.arquetopia.org/images/colt-workshop-manual.pdf>



Do not allow sawdust toUse soap and water to clean painted parts, rubber parts andThey require no further lubrication.Use parts list toThe template is then bolted to the pattern supports,parellelFigure 12 on page 7 shows an example br usinga template.Applying too much pressure to workpiece. Ease up on pressureWorkpiece contained defects beforeSelect or assemble a workpiece that isWorkpiece finish poorCraftsman Copy CrafterBushing. Support Bar. Support Bar with RackBracket. Spacer. Pattern SupportPattern BoltLocking HandleClamping PlateTool Rest Holder. Bushing. Locking BarBushing. Shaft. Yoke. Guide Pin. Bushing. Leverwith GripFine Adjustment ScrewSpring. Standard hardware item available locally.Bushing. Cam Plate. Plunger. Spring. Block. Tool HolderRod. Cutting Tool. BushingFollower Arm. CoverGear. CollarKnob. Handle. Hub. Safety ShieldCarriage SupportGuide. Bracket NutSpring. Follower Bearing. Follower Assembly Includes Key Nos. 50, 64 and 70. Hardware Bag. Operators ManualBracketCam PlateBlockTool Rest HolderTool Rest BracketPinKnobShaftNot ShownSpacerTenga especial cuidado cuando tomee madera con veta torcida o madera que est6 toreida o cornbada podrie cortarseB Puntal 2Consulte la Figure 2,Tornillo de aDeslizadera. Consulte la Figura 7.Altura total. Ancho.Peso. ADVERTENCIATrazador de CraftsmanYour Home. For repairin your homeof all major brand appliances,For the replacementFor Sears professional installation of home appliancesOur Home. For repair of carryin items like vacuums, lawn equipment,To purchase a protection agreement U.S.A.Au CanadaSM Service Mark of Sears, Roebuckand Co. Learn more opens in a new window or tab This amount is subject to change until you make payment. For additional information, see the Global

Shipping Program terms and conditions opens in a new window or tab This amount is subject to change until you make payment. If you reside in an EU member state besides UK, import VAT on this purchase is not recoverable.

For additional information, see the Global Shipping Program terms and conditions opens in a new window or tab Delivery times may vary, especially during peak periods. Learn More opens in a new window or tab Learn More opens in a new window or tab Learn More opens in a new window or tab Learn More opens in a new window or tab The item may be missing the original packaging, or in the original packaging but not sealed. The item may be a factory second or a new, unused item with defects. See the seller's listing for full details and description of any imperfections. Contact the seller opens in a new window or tab and request a postage method to your location. Please enter a valid postal code. Please enter a number less than or equal to 9. Learn more All Rights Reserved. User Agreement, Privacy, Cookies and AdChoice Norton Secured powered by Verisign. Includes sections on Assembly Speed Charts Maintenance Lubrication Operation Parts Breakdown Diagrams Parts List Number of Pages Approx. 24 Publication Date May, 1983 Publication No. 70053 Added Notes Due to others making copies of these for resale, I have added a light watermark to select pages to discourage this practice. About this manual This is a high quality reproduction manual which has been scanned with a high resolution scanner. Each page is then digitally edited in Photoshop to remove grease marks, fingerprints, writing, and other imperfections that the original manual may have had. It is then printed on 24 lb heavy paper and 65 lb cardstock for the covers with a 600 DPI LaserJet printer. The result is a clean and durable manual which many times is better than the original and should last many years in your shop. Reprinted from original manual using high quality 24lb paper and comb binding. Covers are printed from 65lb cardstock for extra durability. Be the first to review this product!

<http://quickfix-poland.com/wp-content/plugins/formcraft/file-upload/server/content/files/162872f8342049--cag14-relay-manual.pdf>

We have created this email privacy policy to demonstrate our firm commitment to your privacy and the protection of your information. We respect your time and attention by controlling the frequency of our mailings. We use security measures to protect against the loss, misuse and alteration of data used by our system. We will never share, sell, or rent individual personal information with anyone without your advance permission or unless ordered by a court of law. Information submitted to us is only available to employees managing this information for purposes of contacting you or sending you emails based on your request for information and to contracted service providers for purposes of providing services relating to our communications with you. Please check your address and try again. You will not be able to bid in this auction without registering. Learn more opens in a new window or tab This amount is subject to change until you make payment. For additional information, see the Global Shipping Program terms and conditions opens in a new window or tab This amount is subject to change until you make payment. If you reside in an EU member state besides UK, import VAT on this purchase is not recoverable. For additional information, see the Global Shipping Program terms and conditions opens in a new window or tab Delivery times may vary, especially during peak periods. Learn More opens in a new window or tab Learn More opens in a new window or tab Learn More opens in a new window or tab Learn More opens in a new window or tab The item may be missing the original packaging, or in the original packaging but not sealed. The item may be a factory second or a new, unused item with defects. See the seller's listing for full details and description of any imperfections. Contact the seller opens in a new window or tab and request a postage method to your location. Please enter a valid postal code.

Please enter a number less than or equal to 9. Learn more All Rights Reserved. User Agreement, Privacy, Cookies and AdChoice Norton Secured powered by Verisign.

<https://events.citeve.pt/chat-conversation/boss-od-3-manual-0>